



TECHNICAL DATA:

- Size : DN15-DN400
- Maximum working temperature: +200°C

APPLICATION:

Transferring pipe needing full flexibility, mating pipe for vibration on prevention, and industries of vapor, coal gas, air, heavy oil, petroleum and chemicals, etc.

MATERIAL:

No.	Parts name	Materials
1	Flange	Stainless steel
2	Socket	Stainless steel
3	Corrugated tube	Stainless steel
4	Sleeve	Stainless steel

DIMENSIONS:

DN (mm)		OD(mm)		Nominal diameter		MPa Nominal diameter	
Nominal diameter	ID	Below	Cover with a layer of network	Below	Below	Nominal	Nominal
15	13.5	19.5	21.1	80	180	18	20
20	20.0	27	28.6	120	270	10	15
25	27.0	34.5	36.1	160	360	6.3	10
32	32.0	40	41.6	175	400	4.0	6.3
40	39.6	52	53.6	225	510	4.0	6.3
50	49.7	62	63.6	280	640	3.0	5.0
65	61.2	80.2	81.8	410	915	3.0	5.0
80	79.0	96.3	97.9	486	1030	3.0	5.0
100	101.2	119.6	121.2	610	1340	2.5	4.0
125	124.1	145.3	146.9	700	1540	2.5	4.0
150	149.4	180.8	182.4	810	1780	2.5	4.0
200	176.0	240	243.2	1000	2000	2.5	4.0
250	248.0	290	294	1250	2500	2.5	4.0
300	298.0	350	354	1500	3000	1.6	2.5
350	347.0	400	404.8	1750	2500	1.6	2.5
400	397.6	460	464.8	2000	4000	1.6	2.5

Subject to change without prior notice.