



### TECHNICAL DATA

- Size : DN80-DN2000
- Maximum working pressure : 10 bar/16 bar

### MATERIAL

No.	Parts name	Materials
1	Screw	Galvanized carbon steel
2	Pipe flange	Ductile iron
3	Sealing ring	EPDM
4	Body	Ductile iron

### APPLICATION

Water supply and drainage, water treatment and water network.

### SPECIFICATION

- Type: Dismantling Joint
- Flanges drilled according to EN 1092
- Pressure test according to EN 12266-1
- Painting: epoxy power coating EN 30677

### DIMENSIONS

DN	H		L		n-M		D	
	PN10	PN16	PN10	PN16	PN10	PN16	PN10	PN16
80	225		340		8-16		160	
100	225		340		8-16		180	
125	225		340		8-16		210	
150	225		350		8-20		240	
200	235	235	350	350	8-20	12-20	295	295
250	250	250	370	380	12-20	12-24	350	355
300	265	265	390	400	12-20	12-24	400	410
350	265	265	400	410	16-20	16-24	460	470
400	275	275	420	430	16-24	16-27	515	525
450	295	295	435	450	20-24	20-27	565	585
500	295	295	440	460	20-24	20-30	620	650
600	315	315	460	500	20-27	20-33	725	770
700	325	325	480	500	24-27	24-33	840	840
800	340	340	500	530	24-30	24-36	950	950
900	350	350	500	530	28-30	28-36	1050	1050
1000	360	360	545	570	28-33	28-39	1160	1170
1200	370	370	580	620	32-36	32-45	1380	1390
1400	380	380	630	630	36-39	36-45	1590	1590
1600	400	400	700	700	40-45	40-52	1820	1820
1800	420	420	730	730	44-45	44-52	2020	2020
2000	440	440	730	730	48-45	48-56	2230	2230